

Name: _____	Date of Birth: <table border="1" style="display: inline-table; border-collapse: collapse; text-align: center;"> <tr><td style="width: 20px; height: 20px;"> </td><td style="width: 20px; height: 20px;"> </td><td style="width: 20px; height: 20px;"> </td><td style="width: 20px; height: 20px;"> </td><td style="width: 20px; height: 20px;"> </td><td style="width: 20px; height: 20px;"> </td><td style="width: 20px; height: 20px;"> </td><td style="width: 20px; height: 20px;"> </td><td style="width: 20px; height: 20px;"> </td><td style="width: 20px; height: 20px;"> </td></tr> <tr><td>D</td><td>D</td><td>M</td><td>M</td><td>Y</td><td>Y</td><td>Y</td><td>Y</td><td> </td><td> </td></tr> </table>											D	D	M	M	Y	Y	Y	Y			PHIN: _____
D	D	M	M	Y	Y	Y	Y															

MEDICATIONS	
Medication	Dose

ALLERGIES	
Substance or Medication	Nature of Reaction

NUTRITION AND SOCIAL CHALLENGES AND SUPPORTS <i>(fill in where appropriate)</i>	
Nutritional risks:	Financial factors:
Nutritional restrictions:	Social support challenges:
Folic Acid: <input type="checkbox"/> No <input type="checkbox"/> Yes <input type="checkbox"/> pre-conception <input type="checkbox"/> post-conception	Relationship challenges:
Occupational risks:	

Date	Wt	GA	BP	U.PROT	SFH	Pres	FH	FM	Comments	F/U	Signature

TOPICS FOR DISCUSSION <i>(check if discussed with patient)</i>		
T1	T2	T3
<input type="checkbox"/> Emergency Contact <input type="checkbox"/> Environmental safety <input type="checkbox"/> Food safety <input type="checkbox"/> Information sources <input type="checkbox"/> Medication safety	<input type="checkbox"/> Nutrition <input type="checkbox"/> On call system <input type="checkbox"/> Pets <input type="checkbox"/> Physical activity <input type="checkbox"/> Referral to Penicillin allergy testing <input type="checkbox"/> Routine Care <input type="checkbox"/> Seat belts <input type="checkbox"/> Sexual activity <input type="checkbox"/> Travel <input type="checkbox"/> Triage policies <input type="checkbox"/> Vaccinations <input type="checkbox"/> VBAC counselling <input type="checkbox"/> Weight gain expectations	<input type="checkbox"/> Antepartum vaccines <input type="checkbox"/> Bleeding <input type="checkbox"/> Fetal movements <input type="checkbox"/> Mental Health <input type="checkbox"/> Prenatal education <input type="checkbox"/> Preterm Labour <input type="checkbox"/> PROM <input type="checkbox"/> Signs and Symptoms of Hypertensive disorders of pregnancy <input type="checkbox"/> Admission timing <input type="checkbox"/> Assisted vaginal deliveries <input type="checkbox"/> Birth plan <input type="checkbox"/> Breastfeeding support <input type="checkbox"/> Car seat safety <input type="checkbox"/> Discharge planning <input type="checkbox"/> Fetal movements <input type="checkbox"/> Labour support <input type="checkbox"/> Newborn care <input type="checkbox"/> Pain management in labour <input type="checkbox"/> Postpartum vaccines <input type="checkbox"/> Potential interventions in labour <input type="checkbox"/> PP care <input type="checkbox"/> PP contraception Plan <input type="checkbox"/> Screening tests for newborn <input type="checkbox"/> Work plan

Name:	Date of Birth: <table border="1" style="display: inline-table; vertical-align: middle;"> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td>D</td><td>D</td><td>M</td><td>M</td><td>Y</td><td>Y</td><td>Y</td><td>Y</td><td> </td><td> </td></tr> </table>											D	D	M	M	Y	Y	Y	Y			PHIN: _____
D	D	M	M	Y	Y	Y	Y															

T-ACE Screening Tool (Alcohol)

Response Key 1 Drink is equivalent to: • 12 oz of beer • 12 oz of cooler • 5 oz of wine • 1.5 oz of hard liquor (mixed drink)	Date <table border="1" style="display: inline-table; vertical-align: middle;"> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td>D</td><td>D</td><td>M</td><td>M</td><td>Y</td><td>Y</td><td>Y</td><td>Y</td><td> </td><td> </td></tr> </table>												D	D	M	M	Y	Y	Y	Y		
D	D	M	M	Y	Y	Y	Y															
	Response																					
1. How many drinks does it take to make you feel high?	≤ 2 drinks = 0	> 2 drinks = 1																				
2. Have people annoyed you by criticizing your drinking?	No = 0	Yes = 1																				
3. Have you felt you ought to cut down on your drinking?	No = 0	Yes = 1																				
4. Have you ever had a drink first thing in the morning to steady your nerves or to get rid of a hangover?	No = 0	Yes = 1																				
A total score of 2 or greater indicates potential prenatal risk and need for follow-up.	Total Score =																					

Edinburgh Perinatal / Postnatal Depressions Scale (EPDS) Cox, Holden, Sagovsky, (1987).

In the past 7 days:		Date <table border="1" style="display: inline-table; vertical-align: middle;"> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td>D</td><td>D</td><td>M</td><td>M</td><td>Y</td><td>Y</td><td>Y</td><td>Y</td><td> </td><td> </td></tr> </table>											D	D	M	M	Y	Y	Y	Y		
D	D	M	M	Y	Y	Y	Y															
1. I have been able to laugh and see the funny side of things	<input type="checkbox"/> As much as I always could = 0 <input type="checkbox"/> Not quite so much now = 1	<input type="checkbox"/> Definitely not so much now = 2 <input type="checkbox"/> Not at all = 3																				
2. I have looked forward with enjoyment to things	<input type="checkbox"/> As much as I ever did = 0 <input type="checkbox"/> Rather less than I used to = 1	<input type="checkbox"/> Definitely less than I used to = 2 <input type="checkbox"/> Hardly at all = 3																				
3. I have blamed myself unnecessarily when things went wrong	<input type="checkbox"/> No, never = 0 <input type="checkbox"/> No, not very often = 1	<input type="checkbox"/> Yes, some of the time = 2 <input type="checkbox"/> Yes, most of the time = 3																				
4. I have been anxious or worried for no good reason	<input type="checkbox"/> No, not at all = 0 <input type="checkbox"/> Hardly ever = 1	<input type="checkbox"/> Yes, sometimes = 2 <input type="checkbox"/> Yes, very often = 3																				
5. I have felt scared or panicky for no very good reason	<input type="checkbox"/> No, not at all = 0 <input type="checkbox"/> No, not much = 1	<input type="checkbox"/> Yes, sometimes = 2 <input type="checkbox"/> Yes, quite a lot = 3																				
6. Things have been getting on top of me	<input type="checkbox"/> No, I have been coping as well as ever = 0 <input type="checkbox"/> No, most of the time I have coped well = 1	<input type="checkbox"/> Yes, sometimes I haven't been coping as well as usual = 2 <input type="checkbox"/> Yes, most of the time I haven't been able to cope = 3																				
7. I have been so unhappy that I have had difficulty sleeping	<input type="checkbox"/> No, not much = 0 <input type="checkbox"/> Not very often = 1	<input type="checkbox"/> Yes, sometimes = 2 <input type="checkbox"/> Yes, most of the time = 3																				
8. I have felt sad or miserable	<input type="checkbox"/> No, not much = 0 <input type="checkbox"/> Not very often = 1	<input type="checkbox"/> Yes, quite often = 2 <input type="checkbox"/> Yes, most of the time = 3																				
9. I have been so unhappy that I have been crying	<input type="checkbox"/> No, never = 0 <input type="checkbox"/> Only occasionally = 1	<input type="checkbox"/> Yes, quite often = 2 <input type="checkbox"/> Yes, most of the time = 3																				
10. The thought of harming myself has occurred to me	<input type="checkbox"/> No, never = 0 <input type="checkbox"/> Only occasionally = 1	<input type="checkbox"/> Yes, quite often = 2 <input type="checkbox"/> Yes, most of the time = 3																				
Total Score =	<p>Score of 1-3 on item 10 indicates a risk of self harm. Patient requires immediate mental health assessment and intervention as appropriate.</p> <p>Score > 9 Monitor, support and offer education</p> <p>Score > 12 Follow up with comprehensive bio-psychosocial diagnostic assessment for depression</p>																					

Important notice

These 2 questionnaires are to be completed by the patient at the first visit and reviewed by health care worker for management if and when indicated by the scores above.