

1c - Dairy

Operation Name:

[Redacted]

Type	Storage Type	Volatilization	Animal Numbers	N Excreted Per Herd Adjusted for Storage N Loss (lb N/yr/herd)	P2O5 Excreted Per Herd Per Year (lb P2O5/year)
Mature Cows, plus associated livestock	Liquid Uncovered Steel/Concrete	20%	2000	712974.3	308391.1

Last Revised October 18, 2019

2 - Crop Rotation

Operation Name:

Enter the operation name on the livestock tab(s)

Crop	Removal		Uptake		Yield	Units	Acreage	Removal		Uptake
	P2O5	N	N	Units				P2O5 (lb)	N (lb)	N (lb)
Alfalfa	13.8	58	58	lb/ton	2.023	ton/ac	755	21078	88587	88587
Barley Grain	0.42	0.97	1.39	lb/bu		bu/ac		-	-	-
Barley Silage	11.8	34.4	34.4	lb/ton		ton/ac		-	-	-
Canola	1.04	1.93	3.19	lb/bu	38.1	bu/ac	1510	59832	111035	183524
Corn Grain	0.44	0.97	1.53	lb/bu	113.7	bu/ac	375	18761	41358	65235
Corn Silage	12.7	31.2	31.2	lb/ton	4.6	tons/ac	1132	66131	162465	162465
Dry Edible Beans	1.39	4.17		lb/cwt		cwt/ac		-	-	-
Fababeans	1.79	5.02	8.4	lb/cwt		cwt/ac		-	-	-
Flax	0.65	2.13	2.88	lb/bu		bu/ac		-	-	-
Grass Hay	10	34.2	34.2	lb/ton		tons/ac		-	-	-
Lentils	1.03	3.39	5.08	lb/cwt		cwt/ac		-	-	-
Oats	0.26	0.62	1.07	lb/bu	103.9	bu/ac	755	20396	48636	83936
Pasture (grazed)	10	34.2	34.2	lb/ton	0.5	ton/ac		-	-	-
Peas	0.69	2.34	3.06	lb/bu		bu/ac		-	-	-
Potatoes	0.09	0.32	0.57	lb/cwt		cwt/ac		-	-	-
Rye	0.45	1.06	1.67	lb/bu		bu/ac		-	-	-
Soybeans	0.84	3.87	5.2	lb/bu	34.2	bu/ac	755	21690	99927	134269
Sunflower	1.1	2.8		lb/cwt		cwt/ac		-	-	-
Wheat - Spring	0.59	1.5	2.11	lb/bu	60.5	bu/ac	2265	80849	205549	289139
Wheat - Winter	0.51	1.04	1.35	lb/bu		bu/ac		-	-	-
Total Acres							7547	288736	757557	1007154
Estimated Average Removal/Uptake (lb/ac)								38.3	100.4	133.5
Acres in Hanover and La Broquerie										
Proportion in Hanover or La Broquerie							0%			
Additional Acres										
Crop Planned on Additional Acres										
Total Acreage							7547			
*Notes:	Enter the number of acres that are in the RM's of Hanover or La Broquerie in cell H26. Additional acres include acres for which crop removal or soil data is limited or unavailable.									

3 - Farm Excretion

Operation Name: Enter the operation name on the livestock tab(s)

Species	Animal Category/Operation type	N (lb/year)	P205 (lb/year)
Pigs	Boars	0	0
	Weanlings/Nursery	0	0
	Growers/Finishers	0	0
	Sows, farrow to 5 kg	0	0
	Sows, farrow to 23 kg	0	0
	Sows, farrow to finish	0	0
Beef	Mature Cows and Bred Heifers, plus associated livestock	0	0
	Feedlot Cattle - long keep	0	0
	Feedlot Cattle - short keep	0	0
	Backgrounders - pasture	0	0
	Backgrounders - confined	0	0
Dairy	Lactating cow	0	0
	Lactating First Calf Heifer	0	0
	Dry cow	0	0
	Calf, 0-3 months	0	0
	Calf, 4-13 months	0	0
	Replacements, >13 months	0	0
	Mature Cows, plus assoc livestock	712974	308391
Sheep	Ewes	0	0
	Replacement Ewes	0	0
	Rams	0	0
	Lambs	0	0
	Ewes, plus assoc livestock	0	0
	Feeder	0	0
Chickens	Light Broilers	0	0
	Broilers	0	0
	Broiler Breeder Pullets	0	0
	Broiler Breeder Hens	0	0
Layers	White Layer Pullets	0	0
	White Layer Hens	0	0
	White Breeder Pullets	0	0
	White Breeder Hens	0	0
	Brown Layer Pullets	0	0
	Brown Layer Hens	0	0
	Brown Breeder Pullets	0	0
	Brown Breeder Hens	0	0
Turkeys	Broiler Turkey (0-9 wks)	0	0
	Hen Turkey (0-11 wks)	0	0
	Heavy Hens (0-14 wks)	0	0
	Toms (0-14 wks)	0	0
	Breeding Hen Growers (0-30 wks)	0	0
	Breeding Hens (31-End of Lay)	0	0
	Breeding Tom Grower (0-17 wks)	0	0
	Breeding Tom Grower (17-30 wks)	0	0
	Breeding Tom (31-End of Lay)	0	0
Total		712974	308391

Note: Be sure all livestock species on your farm are represented in this table, not just the livestock in the proposed expansion.

4 - Land Base Summary

Operation Name: Enter the operation name on the livestock tab(s)

Nutrients Excreted		lbs
Nitrogen		712974
Phosphorus (P2O5)		308391
Crop Nutrient Use		lb/ac
Average Crop N Uptake		133.5
Average Crop Phosphorus (P2O5) Removal		38.3
Operation-specific Phosphorus (P2O5) Allowance		76.5
Land Available		7547
Land Base Required		acres
Acres for Nitrogen		5343
Acres for Phosphorus (P2O5)		4030
Phosphorus Balance		acres
Acres for Phosphorus Balance (1X)		8061

Note: For lands located in Hanover and/or La Broquerie, the acres required for phosphorus are based on phosphorus balance (1X). For other lands, the acres required for phosphorus are based on twice crop phosphorus removal (2X). Land requirements for operations with lands inside and outside Hanover and/or La Broquerie are based on a weighted average.

Last revised November 26, 2019