

1e - Poultry

Operation Name:

Boekhorst Farms

Species / Commodity	Type of Operation	Storage Type	Volatilization	Bird Places	Weight in kg	Weight out kg	Days on Feed	Cycles per Year	N Excreted Adjusted for N Loss lb/flock/yr	P2O5 Excreted lb/flock/yr
Chickens	Light Broilers	Solid Manure Shed	20%		0.043	1.8	30	7	0	0
Chickens	Broilers	Solid Manure Shed	20%		0.043	2.275	35	7	0	0
Chickens	Broiler Breeder Pullets	Solid Manure Shed	20%		0.040	2.975	168	2	0	0
Chickens	Broiler Breeder Hens	Solid Manure Shed	20%		2.975	3.950	245	1	0	0
Eggs	White Layer Pullets	Solid Manure Shed	20%		0.040	1.355	133	2	0	0
Eggs	White Layer Hens	Solid Manure Shed	20%	69000	1.355	1.875	357	1	73027	60403
Eggs	White Breeder Pullets	Solid Manure Shed	20%		0.040	1.240	119	2	0	0
Eggs	White Breeder Hens	Solid Manure Shed	20%		1.240	1.670	350	1	0	0
Eggs	Brown Layer Pullets	Solid Manure Shed	20%		0.040	1.630	133	2	0	0
Eggs	Brown Layer Hens	Solid Manure Shed	20%		1.630	2.025	357	1	0	0
Eggs	Brown Breeder Pullets	Solid Manure Shed	20%		0.040	1.407	119	2	0	0
Eggs	Brown Breeder Hens	Solid Manure Shed	20%		1.407	1.950	350	1	0	0
Turkey	Broiler Turkey (0-9 wks)	Solid Manure Shed	20%		0.070	4.950	63	5	0	0
Turkey	Hen Turkey (0-11 wks)	Solid Manure Shed	20%		0.070	6.650	77	4	0	0
Turkey	Heavy Hens (0-14 wks)	Solid Manure Shed	20%		0.070	9.750	98	3	0	0
Turkey	Toms (0-14 wks)	Solid Manure Shed	20%		0.070	13.000	98	3	0	0
Turkey	Breeding Hen Growers (0-30 wks)	Solid Manure Shed	20%		0.070	12.900	210	1	0	0
Turkey	Breeding Hens (31-End of Lay)	Solid Manure Shed	20%		12.900	12.400	252	1	0	0
Turkey	Breeding Tom Grower (0-17 wks)	Solid Manure Shed	20%		0.070	15.770	119	1	0	0
Turkey	Breeding Tom Grower (17-30 wks)	Solid Manure Shed	20%		15.770	25.000	91	1	0	0
Turkey	Breeding Tom (31-End of Lay)	Solid Manure Shed	20%		25.000	28.180	252	1	0	0

Last Revised November 26, 2019

2 - Crop Rotation

Operation Name:

Boekhorst Farms

Crop	Removal		Uptake		Yield	Units	Acreage	Removal		Uptake
	P2O5	N	N	Units				P2O5 (lb)	N (lb)	N (lb)
Alfalfa	13.8	58	58	lb/ton		ton/ac		-	-	-
Barley Grain	0.42	0.97	1.39	lb/bu		bu/ac		-	-	-
Barley Silage	11.8	34.4	34.4	lb/ton		ton/ac		-	-	-
Canola	1.04	1.93	3.19	lb/bu	40.7	bu/ac	469.25	19862	36860	60924
Corn Grain	0.44	0.97	1.53	lb/bu	120.4	bu/ac	375.4	19887	43842	69153
Corn Silage	12.7	31.2	31.2	lb/ton		tons/ac		-	-	-
Dry Edible Beans	1.39	4.17		lb/cwt		cwt/ac		-	-	-
Fababeans	1.79	5.02	8.4	lb/cwt		cwt/ac		-	-	-
Flax	0.65	2.13	2.88	lb/bu		bu/ac		-	-	-
Grass Hay	10	34.2	34.2	lb/ton		tons/ac		-	-	-
Lentils	1.03	3.39	5.08	lb/cwt		cwt/ac		-	-	-
Oats	0.26	0.62	1.07	lb/bu		bu/ac		-	-	-
Pasture (grazed)	10	34.2	34.2	lb/ton	0.5	ton/ac		-	-	-
Peas	0.69	2.34	3.06	lb/bu		bu/ac		-	-	-
Potatoes	0.09	0.32	0.57	lb/cwt		cwt/ac		-	-	-
Rye	0.45	1.06	1.67	lb/bu		bu/ac		-	-	-
Soybeans	0.84	3.87	5.2	lb/bu	33.5	bu/ac	469.25	13205	60836	81743
Sunflower	1.1	2.8		lb/cwt		cwt/ac		-	-	-
Wheat - Spring	0.59	1.5	2.11	lb/bu	60.1	bu/ac	83.1	2947	7491	10538
Wheat - Winter	0.51	1.04	1.35	lb/bu	80.2	bu/ac	480	19633	40036	51970
Total Acres							1877	75534	189065	274328
Estimated Average Removal/Uptake (lb/ac)								40.2	100.7	146.2
Acres in Hanover and La Broquerie										
Proportion in Hanover or La Broquerie							0%			
Additional Acres							2238			
Crop Planned on Additional Acres							Canola, corn, soybeans, spring and winter wheat			
Total Acreage							4115			
<p>*Notes: Enter the number of acres that are in the RM's of Hanover or La Broquerie in cell H26. Additional acres include acres for which crop removal or soil data is limited or unavailable.</p>										

Last revised December 18, 2017

3 - Farm Excretion

Operation Name: **Boekhorst Farms**

Species	Animal Category/Operation type	N (lb/year)	P2O5 (lb/year)
Pigs	Boars	0	0
	Weanlings/Nursery	0	0
	Growers/Finishers	0	0
	Sows, farrow to 5 kg	0	0
	Sows, farrow to 23 kg	0	0
	Sows, farrow to finish	0	0
Beef	Mature Cows and Bred Heifers, plus associated livestock	0	0
	Feedlot Cattle - long keep	0	0
	Feedlot Cattle - short keep	0	0
	Backgrounders - pasture	0	0
	Backgrounders - confined	0	0
Dairy	Lactating cow	0	0
	Lactating First Calf Heifer	0	0
	Dry cow	0	0
	Calf, 0-3 months	0	0
	Calf, 4-13 months	0	0
	Replacements, >13 months	0	0
	Mature Cows, plus assoc livestock	0	0
Sheep	Ewes	0	0
	Replacement Ewes	0	0
	Rams	0	0
	Lambs	0	0
	Ewes, plus assoc livestock	0	0
	Feeder	0	0
Chickens	Light Broilers	0	0
	Broilers	0	0
	Broiler Breeder Pullets	0	0
	Broiler Breeder Hens	0	0
Layers	White Layer Pullets	0	0
	White Layer Hens	73027	60403
	White Breeder Pullets	0	0
	White Breeder Hens	0	0
	Brown Layer Pullets	0	0
	Brown Layer Hens	0	0
	Brown Breeder Pullets	0	0
	Brown Breeder Hens	0	0
Turkeys	Broiler Turkey (0-9 wks)	0	0
	Hen Turkey (0-11 wks)	0	0
	Heavy Hens (0-14 wks)	0	0
	Toms (0-14 wks)	0	0
	Breeding Hen Growers (0-30 wks)	0	0
	Breeding Hens (31-End of Lay)	0	0
	Breeding Tom Grower (0-17 wks)	0	0
	Breeding Tom Grower (17-30 wks)	0	0
	Breeding Tom (31-End of Lay)	0	0
Total		73027	60403

Note: Be sure all livestock species on your farm are represented in this table, not just the livestock in the proposed expansion.

4 - Land Base Summary

Operation Name: **Boekhorst Farms**

Nutrients Excreted	lbs
Nitrogen	73027
Phosphorus (P2O5)	60403

Crop Nutrient Use	lb/ac
Average Crop N Uptake	146.2
Average Crop Phosphorus (P2O5) Removal	40.2
Operation-specific Phosphorus (P2O5) Allowance	80.5

Land Available	4115
-----------------------	-------------

Land Base Required	acres
Acres for Nitrogen	500
Acres for Phosphorus (P2O5)	750

Phosphorus Balance	acres
Acres for Phosphorus Balance (1X)	1501

Note: For lands located in Hanover and/or La Broquerie, the acres required for phosphorus are based on phosphorus balance (1X). For other lands, the acres required for phosphorus are based on twice crop phosphorus removal (2X). Land requirements for operations with lands inside and outside Hanover and/or La Broquerie are based on a weighted average.

Last revised November 26, 2019