Appendix A

List of Standard Drawings and Specifications

Table A1: List of Standard Drawings

Drawing No.	Descrip ti on	Part No. ¹	
	CONCRETE PILE FOUNDATIONS	'	
F1	Light Series Foundation: a) 610 mm Dia. Pile b) 610 mm Dia. Pile for Breakaway Base	F-L F-L(BR)	
F2			
F3	Heavy Series Foundation – 915 mm Dia. Pile	F-H	
F4	Extra Heavy Series Foundation – 1220 mm Dia. Pile	F-EH	
A1	Anchor Bolts: a) 32 mm (1 1/4") Dia. Anchor Bolt b) 38 mm (1 1/2") Dia. Anchor Bolt c) 51 mm (2") Dia. Anchor Bolt	AB1 AB2 AB3	
	STRUCTURES		
S 1	Light Series – 3.5 m Straight Pole	P-L-S35	
S2	Light Series – 5.0 m Straight Pole	P-L-S50	
S3 Light Series Cantilever - 6.5 m Vertical Shaft		P-L-C65	
S4	Light Series Cantilever: a) 2.5 m Signal Arm b) 5.0 m Signal Arm c) 3.0 m Corridor Arm d) 5.0 m Corridor Arm	A-L-S25 A-L-S50 A-L-C30 A-L-C50	
S5	Light Series Davit – 6.4 m Shaft	P-L-D64/25	
S6	Light Series Davit: a) 2.5 m Signal Extension Arm b) 2.5 m Corridor Extension Arm	A-L-DS25 A-L-DC25	
S7	Medium Series Double Cantilever – 6.5 m Vertical Shaft	P-M-DC65	
S8	Medium Series Cantilever – 6.5 m Vertical Shaft	P-M-C65	
S 9	Medium Series Cantilever: a) 5.0 m Signal Arm b) 6.0 m Signal Arm c) 7.5 m Signal Arm d) 3.0 m Corridor Arm e) 5.0 m Corridor Arm f) 6.0 m Corridor Arm g) 7.5 m Corridor Arm	A-M-S50 A-M-S60 A-M-S75 A-M-C30 A-M-C50 A-M-C60 A-M-C75	
S10	Heavy Series Cantilever – 6.8 m Vertical Shaft	P-H-C68	



¹ See Figure A1 for Legend.

Drawing No.	Descrip ti on	Part No. ¹
S11	Heavy Series Cantilever: a) 7.5 m Signal Arm b) 9.0 m Signal Arm c) 10.5 m Signal Arm d) 12.8 m Signal Arm e) 15.0 m Signal Arm	A-H-S75 A-H-S90 A-H-S105 A-H-S128 A-H-S150
S12	Heavy Series Cantilever: a) 7.5 m Advance Warning Sign Arm b) 9.0 m Advance Warning Sign Arm	A-H-AW75 A-H-AW90
S13	Extra Heavy Series Cantilever – 6.8 m Vertical Shaft	P-EH-C68
S14	Extra Heavy Series Cantilever: a) 17.0 m Signal Arm b) 18.5 m Signal Arm	A-EH-S170 A-EH-S185
S15	Extra Heavy Series Cantilever: a) 10.5 m Advance Warning Sign Arm b) 15.0 m Advance Warning Sign Arm	A-EH-AW105 A-EH-AW150
S16	Luminaire Davit Extension	E-D38/30
S17	Tenon Extension Shafts: a) 5.4 m Extension Shaft b) 6.9 m Extension Shaft c) 8.4 m Extension Shaft	E-S54 E-S69 E-S84
\$18	Stub Extension Shafts: a) 1.5 m Stub Extension Shaft b) 3.0 m Stub Extension Shaft c) 4.5 m Stub Extension Shaft d) 6.1 m Stub Extension Shaft	E-STUB15 E-STUB30 E-STUB45 E-STUB61
S19	Hydro Luminaire Adaptor	HLA
S20	Shaft Access Details: a) Access Panel and Non-Metallic Access Panel Cover b) Handhole	AP1 H1
S21	Wind Deflector Assembly	WD1
S22	Rotating Base Assembly	

¹ See Figure A1 for Legend






Figure A1: Component Naming Convention

Table A2: List of Standard Specifications

Specification No.	Descrip ti on	
230	Supply of Steel Traffic Signal and Pedestrian Corridor Structures	
231	Erection of Steel Traffic Signal and Pedestrian Corridor Structures	
232	Concrete Foundations for Traffic Signal and Pedestrian Corridor Structures	
233	Supply of Breakaway Bases for Traffic Signal and Pedestrian Corridor Structures	
Not provided for this version of this document		



Appendix B

Description of Attachments



Table B1: Description of Attachments

Item	Descrip ti on	Size (mm) w x h x d	Mass (kg)
А	3 section LED signal head, mounted on arm, with knuckle	610 x 1320 x 350	21
В	3 section LED signal head, mounted on pole	610 x 1320 x 350	16
С	4 section LED signal head, mounted on arm, with knuckle	610 x 1700 x 350	26
D	4 section LED signal head, mounted on pole	610 x 1700 x 350	23
Е	Bi-modal Pedestrian Head c/w Countdown Timer	350 x 800 x 330	9
F	Pedestrian Corridor RA-4 overhead sign	914 x 1194 x 476	50
G	3 metre luminaire arm	3000	10
Н	Panel sign – 1500 (Type 1)1	1500 x 305 x 40	7
I	Panel sign – 2500	2500 x 305 x 40	11
J	Double Panel sign - two 2500 panels ((Type 2)	2500 x 610 x 40	22
K	Sheet Sign - 300 x 900 ((Type 3)	300 x 900	1.5
L	Sheet Sign - 400 x 900 (Type 4)	400 x 900	2
M	Sheet Sign - 600 x 750 (Type 6, 9, 10, 13)	600 x 750	2.5
N	Sheet Sign - 600 x 900 (Type 7, 8, 12)	600 x 900	3
0	Sheet Sign - 900 x 900 (Type 11)	900 x 900	4.5
Р	Sheet Sign - 900 x 1200 (Type 14)	900 x 1200	6
Q	Advance Warning Sign Panel	2800 x 2135 x 40	101
R	Advance Warning Sign Panel	2400 x 1830 x 40	67

NOTES

- 1. The structures can be assembled for various combinations of attachments given in Table B1.
- 2. Total number of attachments on the structure must not exceed the maximum number shown on the assembly drawings.
- 3. The sizes of various types of sheet signs is provided in Table B2.



Table B2: Sizes of Sheet Signs

Туре	Descrip ti on	Size (mm) w x h	Mass (kg)
1	IDM-3 (Single Name Panel Sign)	1500 x 305	7
2	IDM-3 (Double Name Panel Sign)	2500 x 610	22
3	WA-36 L (Hazard Marker)	300 x 900	1.5
4	WA-36 (Double Hazard Marker)	400 x 900	2
5	WA-36 R (Hazard Marker)	300 x 900	1.5
6	RC-4 R (Stop Line)	600 x 750	2.5
7	RC-4 L B (Stop Line - Bilingual)	600 x 900	3
8	RB-17 R (No Right on Red)	600 x 900	3
9	MR-100 (Left Turn Signal)	600 x 750	2.5
10	MR-100 B (Left Turn Signal - Bilingual)	600 x 750	2.5
11	RB-11 L (No Left Turn)	900 x 900	4.5
12	RB-41 (Left Lane)	600 x 900	3
13	RA-4 (Pedestrian Crossing - 2 Lane Roadway)	600 x 750	2.5
14	RA-4 (Pedestrian Crossing - 4 Lane Roadway)	900 x 1200	6

NOTES

- 1. The structures can be assembled for various combinations of sheet signs given in Table B2.
- 2. Total number of attachments on the structure must not exceed the maximum number shown on the assembly drawings.




Appendix C

Light Series Structures Component Assembly














FIG. 1b: 3.5m LIGHT SERIES STRAIGHT STANDARD










LIGHT SERIES STRAIGHT POLE 1 OF 1


TRAFFIC SIGNAL AND PEDESTRIAN CORRIDOR STRUCTURES

Ma	nitobo		RELEASED BY:	FOR CONSTR	UCTION
	Infrastructu Traffic Engineer		DIRECTOR		DATE
DESIGN	BY:	SSR	TRAFFIC EN		
DESIGN	CHECKED:_	TAE/DRA	SCALE: 1:100	SHEET No.	01
DETAILO	BY:	MDG	_	SHEET NO.	
DETAILS	CHECKED:_	SSR		SITE No	












FIG. 4c: 6.4m LIGHT SERIES DAVIT WITH 2.5m CORRIDOR ARM



LIGHT SERIES CORRIDOR 1 OF 1

TRAFFIC SIGNAL AND PEDESTRIAN CORRIDOR STRUCTURES

Manitoba 🐆			RELEASED F BY:	OR CONSTRUCTION
Infrastructure Traffic Engineering		DIRECTOR OF DA		
DESIGN	BY:	<u>SSR</u>	TRAFFIC EN	GINEERING
DESIGN	CHECKED:_	TAE/DRA	SCALE: 1:100	SHEET No04
DETAILO	BY:	MDG	_]	SHEET NO.
DETAILS	CHECKED:_	SSR		SITE No

PLOT DATE: 2019/11/07 12:27:47 PM LAST 8


801 - SELECTION MANUAL - LIGHT SERIES DAVIT-CANTI DWG

CTWISEIWORKING DIRECTORY/ACTIVE/AOMGIDOB13761117-6801 - SELECTION MANUAL - LIGH

Appendix D

Medium Series Structures Component Assembly





5 000

A-M-C50

5 000

A-M-C50 =


P-M-DC65

AB2 ANCHOR **BOLTS**

F-M FOUNDATION

(P) (BOTH SIDES)

FIG. 5a: 6.5m MEDIUM SERIES DOUBLE CANTILEVER WITH TWO 5.0m CORRIDOR ARMS






FIG. 6b: 6.5m MEDIUM SERIES CANTILEVER WITH 5.0m SIGNAL ARM




FIG. 6c: 6.5m MEDIUM SERIES CANTILEVER WITH 5.0m SIGNAL ARM, AND EXTENSIONS FOR DAVIT LUMINAIRE




FIG. 6d: 6.5m MEDIUM SERIES CANTILEVER WITH 5.0m SIGNAL ARM, AND EXTENSIONS FOR HYDRO LUMINAIRE



PATE BY DESCRIPTION
DESIGN SEAL RECORD SEAL

TRAFFIC SIGNAL AND PEDESTRIAN CORRIDOR STRUCTURES


MEDIUM SERIES CANTILEVER 1 OF 3



CONSULTANT PROJECT NO. 17-6801

9/11/13	SSR	ISSUED	<u>FOR</u>	CONSTR	RUCTION
DATE	ΒY	D	ESC	RIPTIO	N
DES	SIGN	SEAL		RECORD	SEAL
	S.S. S.S. RIHA POFESS				

Manitoba Sha			RELEASED F BY:	OR CONSTRUCTION
Traffic Engineering			DIRECTOR O	F DATE
DESIGN	BY:	SSR	TRAFFIC EN	GINEERING
JESIGN	CHECKED:	TAE/DRA	SCALE:	SHEET No. 06
	BY:	MDG		SHEET NO.
DETAILS	CHECKED:	SSR		SITE No





<u>SSR</u>

CHECKED:

SITE No.


17-6801





3 000

9






FIG. 9c: 6.5m MEDIUM SERIES
CANTILEVER WITH 3.0m CORRIDOR ARM,
AND EXTENSIONS FOR DAVIT LUMINAIRE




MEDIUM SERIES CORRRIDOR 1 OF 4


TRAFFIC SIGNAL AND PEDESTRIAN CORRIDOR STRUCTURES

4	0011111001101120					
j	Ma	nitobo		RELEASED F BY:	OR CONSTRU	ICTION
	Infrastructure Traffic Engineering BY: SSR		70	DIRECTOR O		DATE
	DESIGN		TAE/DRA	SCALE:	SHEET No.	09
	DETAIL C	BY:	MDG]	SHEET NO.	-=-
	DETAILS	CHECKED:_	SSR		SITE No	














FIG. 10c: 6.5m MEDIUM SERIES CANTILEVER WITH 5.0m CORRIDOR ARM, AND EXTENSIONS FOR DAVIT LUMINAIRE




MEDIUM SERIES CORRRIDOR 2 OF 4

TRAFFIC SIGNAL AND PEDESTRIAN CORRIDOR STRUCTURES

Ma	nitoba 🗫	RELEASED F BY:	OR CONSTRUCTION
	Infrastructure Traffic Engineering	DIRECTOR O	F DATE
DESIGN	BY:SSR	TRAFFIC EN	
	CHECKED:TAE/DRA	SCALE:	SHEET No10
	BY:MDG		SHEET NO
DETAILS	CHECKED:SSR		SITE No









FIG. 11c: 6.5m MEDIUM SERIES CANTILEVER WITH 6.0m CORRIDOR ARM, AND EXTENSIONS FOR DAVIT LUMINAIRE



MEDIUM SERIES CORRRIDOR 3 OF 4

TRAFFIC SIGNAL AND PEDESTRIAN CORRIDOR STRUCTURES

Manitoba 🐆			RELEASED F BY:	OR CONSTRUCTION
Infrastructure Traffic Engineering		DIRECTOR OF DAT		
DESIGN	BY:	<u>SSR</u>	TRAFFIC EN	
DESIGN	CHECKED:_	TAE/DRA	SCALE:	SHEET No11
	BY:	MDG		SHEET NO
DE LAIF2	CHECKED:	<u>SSR</u>		SITE No



TAE/DRA

<u>MDG</u>

SSR

12

SHEET No

SITE No..

CHECKED:

CHECKED:

DETAILS


CONSULTING


CONSULTANT PROJECT NO.


17-6801


Appendix E

Heavy Series Structures Component Assembly









DETAILS


CHECKED:


SSR


SITE No ..


17-6801















Appendix F

Extra Heavy Series Structures Component Assembly



MDG

SSR.

SITE No ..

DETAILS


CHECKED:


CONSULTANT PROJECT NO.


17-6801

























FIG. 20a: 6.8m EXTRA HEAVY SERIES CANTILEVER WITH 10.5m ADVANCE WARNING SIGN ARM




WITH 15.0m ADVANCE WARNING SIGN ARM



Appendix H


Breakaway Bases





NOTES:
1. COMPONENTS SHOWN ARE FOR THE APPROVED SAFETY BASE PRODUCTS, MANUFACTURED BY SAFETY BASE LTD.

Figure H1: Type BR1 Breakaway Base – Assembly Components



NOTES:
1. COMPONENTS SHOWN ARE FOR THE APPROVED SAFETY BASE PRODUCTS, MANUFACTURED BY SAFETY BASE LTD.

Figure H2: Type BR2 and BR3 Breakaway Bases – Assembly Components