

**Ouimet, Darrell (CWS)**

---

**From:** Jacobs, Kevin (CWS)  
**Sent:** January-06-14 2:11 PM  
**To:** Dagdick, Elise (CWS)  
**Subject:** RE: Review and comments request due Jan. 17 , 2014 - Upgrades to PTH 39 - File: 5682.00  
**Attachments:** image003.png

**Manitoba** 

---

**Date:** January 6, 2014

## **Memorandum**

**To:** Elise Dagdick  
Environmental Approvals Branch  
123 Main Street, Suite 160  
Winnipeg MB R3C 1A5

**From:** Kevin Jacobs M.Sc.  
Water Quality Management Section  
Manitoba Conservation and Water  
Stewardship  
123 Main Street, Suite 160  
Winnipeg MB R3C 1A5  
**Email:** Kevin.jacobs@gov.mb.ca  
**Phone:** 945 4304  
**Fax:** 948-2357

**Subject:** Upgrades to PTH39 - Your File: 5682.00

The above noted proposal has been reviewed by the Water Quality Management Section of Manitoba Conservation and Water Stewardship.

Based on the information provided by the proponent we have no concerns with regard to surface water quality that could not be satisfied by standard licensing conditions.

The following recommendations are provided for information purposes:

- We recommend all disturbed areas be stabilized with biodegradable erosion control materials and then re-vegetated using a seed mix native to the area.
- Standard procedures are in place regarding fueling equipment a minimum of 100 metres distance from water, and prevention of uncured concrete, washwater, or bituminous paving products from entering water courses.
- Should blast rock or quarry rock be required the proponent should ensure that any rock utilized for the proposed road is of a quality such that it is not acid or alkali generating.

**File:** 2E.10.3      **Proposals:** Roads/Highways

**From:** Steele, Tania (CWS)

**Sent:** December-31-13 11:32 AM

**To:** Schindler, Dennis (MAFRI); Kaita, Adara (CWS); Labossiere, Don (CWS); Molod, Rommel (CWS); Streich, Laurie (CWS); Firlotte, Nicole (CWS); Boissonneault, Caroline (CWS); Kelly, Jason (CWS); Keenan, Phil (CWS); Missyabit, Ron (CWS); Page, Elaine (CWS); Phipps, Graham (CWS); Janusz, Laureen R (CWS); Stibbard, James (CWS); Matthews, Rob (CWS); Reimer, Geoff P (CWS); +WPG574 - HRB (CHT); Cunningham, Neil (CWS); Crone, Jim (IEM); Roberecki, Susan (HEALTH); Peck, Angela (HEALTH); Shaler, Samantha (MLG); Allum, Brad (MIT); Lowdon, Keith (IEM); Crone, Jim (IEM); 'Sigurdson,Shauna [CEAA]; Beaumont-Smith, Chris (IEM); Roberts, Wayde (CWS); Armstrong, Mike (CWS); +WPG969 - MIT Environmental Services Section (MIT)

**Cc:** Dagdick, Elise (CWS)

**Subject:** Review and comments request due Jan. 17 , 2014 - Upgrades to PTH 39 - File: 5682.00

Your review and comments would be appreciated for the attached Proposal submitted pursuant to *The Environment Act*:

<http://www.gov.mb.ca/conservation/eal/registries/5682pth39/index.html>

The contact person assigned to co-ordinate review and assessment of the Proposal is:

**Elise Dagdick @ 204-619-0709.** Email replies are programmed to automatically deliver to [elise.dagdick@gov.mb.ca](mailto:elise.dagdick@gov.mb.ca)

Please indicate to the contact person if you are unable to review the proposal. A non-reply will be considered as indicating your department has reviewed the proposal and has no concerns.

Any comments you have on the Proposal should be emailed by **January 17 , 2014.**

**\*\*No hard copies will be provided\*\***

Thank you.

*Sent on behalf of:*

*Elise Dagdick*

Environmental Approvals Branch  
Manitoba Conservation and Water Stewardship

Ph: 204-619-0709

Fax: 204-945-5229

[elise.dagdick@gov.mb.ca](mailto:elise.dagdick@gov.mb.ca)

REGULAR MAIL

Box 80 - 160 - 123 Main Street

Winnipeg MB R3C 1A5

COURIERS

Room 2-B, 2nd Floor, 123 Main Street  
(northwest elevators/staircase)

## **Ouimet, Darrell (CWS)**

---

**From:** Kelly, Jason (CWS)  
**Sent:** January-06-14 9:02 AM  
**To:** Dagdick, Elise (CWS)  
**Subject:** RE: Review and comments request due Jan. 17 , 2014 - Upgrades to PTH 39 - File: 5682.00

Parks and Protected Spaces Branch has reviewed the proposal filed pursuant to the *Environment Act* for Review and comments request due Jan. 17 , 2014 - Upgrades to PTH 39 - File: 5682.00. The Branch has no comments to offer as it does not affect any parks or ecological reserves.

Jason Kelly, M.N.R.M.  
Ecological Reserves and Protected Areas Specialist  
Parks and Protected Spaces Branch  
Conservation and Water Stewardship  
Box 53, 200 Saulteaux Cres  
Winnipeg, MB R3J 3W3

Phone: 204-945-4148  
Cell:  
Fax: 204-945-0012

Email: [Jason.Kelly@gov.mb.ca](mailto:Jason.Kelly@gov.mb.ca)

---

**From:** Steele, Tania (CWS)  
**Sent:** December-31-13 11:32 AM  
**To:** Schindler, Dennis (MAFRI); Kaita, Adara (CWS); Labossiere, Don (CWS); Molod, Rommel (CWS); Streich, Laurie (CWS); Firlotte, Nicole (CWS); Boissonneault, Caroline (CWS); Kelly, Jason (CWS); Keenan, Phil (CWS); Missyabit, Ron (CWS); Page, Elaine (CWS); Phipps, Graham (CWS); Janusz, Laureen R (CWS); Stibbard, James (CWS); Matthews, Rob (CWS); Reimer, Geoff P (CWS); +WPG574 - HRB (CHT); Cunningham, Neil (CWS); Crone, Jim (IEM); Roberecki, Susan (HEALTH); Peck, Angela (HEALTH); Shaler, Samantha (MLG); Allum, Brad (MIT); Lowdon, Keith (IEM); Crone, Jim (IEM); 'Sigurdson,Shauna [CEAA]; Beaumont-Smith, Chris (IEM); Roberts, Wayde (CWS); Armstrong, Mike (CWS); +WPG969 - MIT Environmental Services Section (MIT)  
**Cc:** Dagdick, Elise (CWS)  
**Subject:** Review and comments request due Jan. 17 , 2014 - Upgrades to PTH 39 - File: 5682.00

Your review and comments would be appreciated for the attached Proposal submitted pursuant to *The Environment Act*:

<http://www.gov.mb.ca/conservation/eal/registries/5682pth39/index.html>

The contact person assigned to co-ordinate review and assessment of the Proposal is:

**Elise Dagdick @ 204-619-0709.** Email replies are programmed to automatically deliver to [elise.dagdick@gov.mb.ca](mailto:elise.dagdick@gov.mb.ca)

Please indicate to the contact person if you are unable to review the proposal. A non-reply will be considered as indicating your department has reviewed the proposal and has no concerns.

Any comments you have on the Proposal should be emailed by **January 17 , 2014.**

**\*\*No hard copies will be provided\*\***

Thank you.

*Sent on behalf of:*

*Elise Dagdick*

Environmental Approvals Branch  
Manitoba Conservation and Water Stewardship

Ph: 204-619-0709

Fax: 204-945-5229

[elise.dagdick@gov.mb.ca](mailto:elise.dagdick@gov.mb.ca)

REGULAR MAIL

Box 80 - 160 - 123 Main Street

Winnipeg MB R3C 1A5

COURIERS

Room 2-B, 2nd Floor, 123 Main Street  
(northwest elevators/staircase)

## **Quimet, Darrell (CWS)**

---

**From:** Janusz, Laureen R (CWS)  
**Sent:** January-05-14 4:38 PM  
**To:** Dagdick, Elise (CWS)  
**Cc:** Macdonald, Don (CWS); Campbell, Ron (CWS); Long, Jeff (CWS)  
**Subject:** EAP 5682.00 Upgrades to PTH 39 due Jan 17, 2014

Happy New Year Elise,

Fisheries Branch has reviewed this proposal to relocate 8.6 km of PTH 39 from 6 km west of PR 596 to 10 km east of the same PR. Some of the existing road will either be decommissioned or used as roadway.

The proponent indicates that based on an aerial review of the area there does not appear to be any defined watercourses or waterbodies. Unless regional staff have concerns otherwise, as long as there are a sufficient number of culverts installed and they are installed properly to maintain drainage patterns and sediment and erosion control measures are implemented any potential fisheries concerns should be addressed. Similarly with any decommissioning as long as the areas are returned to pre-project conditions, there should be no concerns.

In addition to the standard clauses that are included in the licence for these types of developments, could the clause requiring equipment to be cleaned to reduce the spread of terrestrial and aquatic invasive species be included as well.

Thanks Elise.

Laureen Janusz  
Fisheries Science and Fish Culture Section  
Fisheries Branch,  
Manitoba Conservation and Water Stewardship  
Box 20, 200 Saulteaux Crescent  
Winnipeg, MB R3J 3W3

Phone: 204.945.7789  
Cell: 204.793.1154  
Fax: 204.948-2308  
Email: [Laureen.Janusz@gov.mb.ca](mailto:Laureen.Janusz@gov.mb.ca)

---

**From:** Steele, Tania (CWS)  
**Sent:** December-31-13 11:32 AM  
**To:** Schindler, Dennis (MAFRI); Kaita, Adara (CWS); Labossiere, Don (CWS); Molod, Rommel (CWS); Streich, Laurie (CWS); Firlotte, Nicole (CWS); Boissonneault, Caroline (CWS); Kelly, Jason (CWS); Keenan, Phil (CWS); Missyabit, Ron (CWS); Page, Elaine (CWS); Phipps, Graham (CWS); Janusz, Laureen R (CWS); Stibbard, James (CWS); Matthews, Rob (CWS); Reimer, Geoff P (CWS); +WPG574 - HRB (CHT); Cunningham, Neil (CWS); Crone, Jim (IEM); Roberecki, Susan (HEALTH); Peck, Angela (HEALTH); Shaler, Samantha (MLG); Allum, Brad (MIT); Lowdon, Keith (IEM); Crone, Jim (IEM); 'Sigurdson,Shauna [CEAA]'; Beaumont-Smith, Chris (IEM); Roberts, Wayde (CWS); Armstrong, Mike (CWS); +WPG969 - MIT Environmental Services Section (MIT)  
**Cc:** Dagdick, Elise (CWS)  
**Subject:** Review and comments request due Jan. 17 , 2014 - Upgrades to PTH 39 - File: 5682.00

Your review and comments would be appreciated for the attached Proposal submitted pursuant to *The Environment Act*:

<http://www.gov.mb.ca/conservation/eal/registries/5682pth39/index.html>

The contact person assigned to co-ordinate review and assessment of the Proposal is:

**Elise Dagdick @ 204-619-0709.** Email replies are programmed to automatically deliver to [elise.dagdick@gov.mb.ca](mailto:elise.dagdick@gov.mb.ca)

Please indicate to the contact person if you are unable to review the proposal. A non-reply will be considered as indicating your department has reviewed the proposal and has no concerns.

Any comments you have on the Proposal should be emailed by **January 17 , 2014.**

**\*\*No hard copies will be provided\*\***

Thank you.

*Sent on behalf of:*

*Elise Dagdick*

Environmental Approvals Branch  
Manitoba Conservation and Water Stewardship

Ph: 204-619-0709

REGULAR MAIL

COURIERS

Fax: 204-945-5229

Box 80 - 160 - 123 Main Street

Room 2-B, 2nd Floor, 123 Main Street

[elise.dagdick@gov.mb.ca](mailto:elise.dagdick@gov.mb.ca)

Winnipeg MB R3C 1A5

(northwest elevators/staircase)

**Ouimet, Darrell (CWS)**

---

**From:** Matthews, Rob (CWS)  
**Sent:** December-31-13 12:08 PM  
**To:** Dagdick, Elise (CWS)  
**Subject:** RE: Review and comments request due Jan. 17 , 2014 - Upgrades to PTH 39 - File: 5682.00

No concerns.

---

**From:** Steele, Tania (CWS)  
**Sent:** December-31-13 11:32 AM  
**To:** Schindler, Dennis (MAFRI); Kaita, Adara (CWS); Labossiere, Don (CWS); Molod, Rommel (CWS); Streich, Laurie (CWS); Firlotte, Nicole (CWS); Boissonneault, Caroline (CWS); Kelly, Jason (CWS); Keenan, Phil (CWS); Missyabit, Ron (CWS); Page, Elaine (CWS); Phipps, Graham (CWS); Janusz, Lauren R (CWS); Stibbard, James (CWS); Matthews, Rob (CWS); Reimer, Geoff P (CWS); +WPG574 - HRB (CHT); Cunningham, Neil (CWS); Crone, Jim (IEM); Roberecki, Susan (HEALTH); Peck, Angela (HEALTH); Shaler, Samantha (MLG); Allum, Brad (MIT); Lowdon, Keith (IEM); Crone, Jim (IEM); 'Sigurdson,Shauna [CEAA]'; Beaumont-Smith, Chris (IEM); Roberts, Wayde (CWS); Armstrong, Mike (CWS); +WPG969 - MIT Environmental Services Section (MIT)  
**Cc:** Dagdick, Elise (CWS)  
**Subject:** Review and comments request due Jan. 17 , 2014 - Upgrades to PTH 39 - File: 5682.00

Your review and comments would be appreciated for the attached Proposal submitted pursuant to *The Environment Act*:

<http://www.gov.mb.ca/conservation/eal/registries/5682pth39/index.html>

The contact person assigned to co-ordinate review and assessment of the Proposal is: \_\_\_\_\_

**Elise Dagdick @ 204-619-0709.** Email replies are programmed to automatically deliver to [elise.dagdick@gov.mb.ca](mailto:elise.dagdick@gov.mb.ca)

Please indicate to the contact person if you are unable to review the proposal. A non-reply will be considered as indicating your department has reviewed the proposal and has no concerns.

Any comments you have on the Proposal should be emailed by **January 17 , 2014.**

**\*\*No hard copies will be provided\*\***

Thank you.

*Sent on behalf of:*

*Elise Dagdick*

Environmental Approvals Branch  
Manitoba Conservation and Water Stewardship

Ph: 204-619-0709	REGULAR MAIL	COURIERS
Fax: 204-945-5229	Box 80 - 160 - 123 Main Street	Room 2-B, 2nd Floor, 123 Main Street
<a href="mailto:elise.dagdick@gov.mb.ca">elise.dagdick@gov.mb.ca</a>	Winnipeg MB R3C 1A5	(northwest elevators/staircase)

**Quimet, Darrell (CWS)**

---

**From:** Roberts, Dan (CWS)  
**Sent:** January-02-14 2:32 PM  
**To:** Dagdick, Elise (CWS)  
**Subject:** Review and comments request due Jan. 17 , 2014 - Upgrades to PTH 39 - File: 5682.00

Hi Elise,

On behalf of the *Water Control Works and Drainage Licensing Section*, I request the following:

- 1) As indicated in your proposal, all culverts be sized according to anticipated flows, and installed in locations that will not upset the natural flow of surface waters in the area.
- 2) All drains be constructed to a minimum 3:1 side-slope ratio.
- 3) Construction activities be limited to periods of low or no-flow.
- 4) Adherence to DFO guidelines/operational statements with respect to culvert sizing/installation, crossings, and post construction site stabilization to minimize erosion/sedimentation.

Should you require further clarification on the above, feel free to contact me directly.

Sincerely,

**Dan Roberts**

Water Resource Officer

Water Control Works and Drainage Licensing Section

Conservation and Water Stewardship

Box 640, 201 Fourth Ave. S., Swan River, MB R0L 1Z0

Cell: (204) 281-2122, Fax: 734-3733



**Ouimet, Darrell (CWS)**

---

**From:** Stibbard, James (CWS)  
**Sent:** January-16-14 9:28 AM  
**To:** Dagdick, Elise (CWS)  
**Subject:** Re: 5682.00 PTH 39 Re-alignment, EAP

Ms. Dagdick,

I reviewed the above noted EAP and found no concerns respecting safety or quality of drinking water sources or supplies in it.

If you have any questions, please call.

Regards,

**James Stibbard P. Eng.**  
Approvals Engineer  
Office of Drinking Water  
1007 Century Street  
Winnipeg MB R3H 0W4  
phone: (204) 945-5949  
fax: (204) 945-1365  
email: [James.Stibbard@gov.mb.ca](mailto:James.Stibbard@gov.mb.ca)  
website: [www.manitoba.ca/drinkingwater](http://www.manitoba.ca/drinkingwater)

**Confidentiality Notice:** This message, including any attachments, is confidential and may also be privileged and all rights to privilege are expressly claimed and not waived. Any use, dissemination, distribution, copying or disclosure of this message, or any attachments, in whole or in part, by anyone other than the intended recipient, is strictly prohibited.

## **Ouimet, Darrell (CWS)**

---

**From:** Kaita, Adara (CWS) on behalf of +WPG1212 - Conservation\_Circulars (CWS)  
**Sent:** January-17-14 10:51 AM  
**To:** Dagdick, Elise (CWS)  
**Cc:** Armstrong, Mike (CWS)  
**Subject:** EA Proposal - Upgrades to PTH 39 - File: 5682.00  
**Attachments:** comments\_PTH\_realignment.docx

Hello Elise,

The Protected Areas Initiative has no concerns. The Lands Branch has no concerns with option three (3) to realign and straighten PTH 39 across the top of the "W" configuration through the construction of new road, which conforms to the proposed location and design. The road relocation is noted to be an important change is to meet current PTH standards and elimination of potential safety issues for road users and increasing the efficiency of PTH 39. Approval is conditional upon the following:

- A Crown Land Reservation is required to be approved in advance of road construction activities.
- The existing PTH "W" is to be managed and maintained by MIT.
- As stated " A decommissioning plan for the existing PTH 39 "W" alignment is under development" This plan is to be submitted for comment to CWS when completed. The 3.3 km of road surface at the bottom of the page will not revert back to Crown Land until the decommissioning plan has been submitted, commented on, approved and work completed. Decommissioning of the old portion of highway should include; removal and disposal of asphalt, removal and disposal of all culverts, leveling of road embankment, slop and contour to ensure proper drainage, re-vegetation of disturbed areas and signage at both ends as required.
- A timber permit is required for all merchantable timber cut.
- There is information stating that Registered Trap Line 29 is in close proximity to the proposed work and is "Vacant" so no contact has been made with the trapper. This is not accurate as the Lineholder is a resident of The Pas and the line is active. Contact Snow Lake District for the name of the trapper. Snow Lake District: 204-358-2521.
- In the early 1990's a Fibre Optic Line has been buried by MTS on the centre line of this proposed highway, may require further investigation.

Note: The Northwest Regional Wildlife staff have provided comment regarding caribou activity to the Lands Branch. Please note that these regional wildlife comments will be submitted through the Wildlife Branch.

Thank you,

**Adara Kaita**  
Crown Land Programs and Policy Manager  
Conservation and Water Stewardship  
Box 25, 200 Saulteaux Crescent  
Winnipeg, MB R3J 3W3  
Cell: (204) 945-6301  
F: (204) 948-2197

**Ouimet, Darrell (CWS)**

---

**From:** Sigurdson,Shauna [CEAA] [Shauna.Sigurdson@ceaa-acee.gc.ca]  
**Sent:** December-31-13 6:09 PM  
**To:** Dagdick, Elise (CWS)  
**Cc:** Susan.Tiege@ceaa-acee.gc.ca  
**Subject:** RE: Review and comments request due Jan. 17 , 2014 - Upgrades to PTH 39 - File: 5682.00

Hello Elise

This is not a designated project under CEAA 2012, so we will have no further comments.

Shauna

---

**From:** Steele, Tania (CWS) [mailto:Tania.Steele@gov.mb.ca]  
**Sent:** December 31, 2013 10:32 AM  
**To:** Schindler, Dennis (MAFRI); Kaita, Adara (CWS); Labossiere, Don (CWS); Molod, Rommel (CWS); Streich, Laurie (CWS); Firlotte, Nicole (CWS); Boissonneault, Caroline (CWS); Kelly, Jason (CWS); Keenan, Phil (CWS); Missyabit, Ron (CWS); Page, Elaine (CWS); Phipps, Graham (CWS); Janusz, Lauren R (CWS); Stibbard, James (CWS); Matthews, Rob (CWS); Reimer, Geoff P (CWS); +WPG574 - HRB (CHT); Cunningham, Neil (CWS); Crone, Jim (IEM); Roberecki, Susan (HEALTH); Peck, Angela (HEALTH); Shaler, Samantha (MLG); Allum, Brad (MIT); Lowdon, Keith (IEM); Crone, Jim (IEM); Sigurdson,Shauna [CEAA]; Beaumont-Smith, Chris (IEM); Roberts, Wayne (CWS); Armstrong, Mike (CWS); +WPG969 - MIT Environmental Services Section (MIT)  
**Cc:** Dagdick, Elise (CWS)  
**Subject:** Review and comments request due Jan. 17 , 2014 - Upgrades to PTH 39 - File: 5682.00

Your review and comments would be appreciated for the attached Proposal submitted pursuant to *The Environment Act*:

<http://www.gov.mb.ca/conservation/eal/registries/5682pth39/index.html>

The contact person assigned to co-ordinate review and assessment of the Proposal is:

**Elise Dagdick @ 204-619-0709.** Email replies are programmed to automatically deliver to [elise.dagdick@gov.mb.ca](mailto:elise.dagdick@gov.mb.ca)

Please indicate to the contact person if you are unable to review the proposal. A non-reply will be considered as indicating your department has reviewed the proposal and has no concerns.

Any comments you have on the Proposal should be emailed by **January 17 , 2014.**

**\*\*No hard copies will be provided\*\***

Thank you.

*Sent on behalf of:*

*Elise Dagdick*

Environmental Approvals Branch  
Manitoba Conservation and Water Stewardship

Ph: 204-619-0709                      REGULAR MAIL                      COURIERS  
Fax: 204-945-5229                      Box 80 - 160 - 123 Main Street                      Room 2-B, 2nd Floor, 123 Main Street

**From:** Molod, Rommel (CWS)  
**Sent:** January-16-14 12:20 PM  
**To:** Dagdick, Elise (CWS)  
**Cc:** Streich, Laurie (CWS)  
**Subject:** FW: Review and comments request due Jan. 17 , 2014 - Upgrades to PTH 39 - File: 5682.00

Elise,  
AQ Management Section has reviewed the above proposal and have no comment.

Thank you for the opportunity to review,  
Rommel

**From:** Ibn Azkar, Muntaseer (CWS)  
**Sent:** January-16-14 11:17 AM  
**To:** Molod, Rommel (CWS)  
**Subject:** RE: Review and comments request due Jan. 17 , 2014 - Upgrades to PTH 39 - File: 5682.00

I think there is no concern about air quality due to this project.

Thanks.  
Muntaseer